RECEIVED
CENTRAL FAX CENTER
AUG 16 2006

Docket No.: RPC 534 PUSA
Serial No. 10/677,499

REMARKS

The amendments to the specification should address the drawing objection and the objection to the specification.

The Examiner has rejected several claims for double patenting. A terminal disclaimer is submitted with respect to the parent patent of the present application, 6,631,822. The cancellation of claim 1 should address the double patenting rejection over 6,386,388.

Claims 1 and 11 are rejected under 112 first paragraph. Applicant respectfully disagrees. A cantilevered arm is shown in the drawings, such as in Figure 18B. It is not required that the specification include the same words as the claims. However, claim 1 has been cancelled and claim 11 has been amended to address this rejection.

It is believed that this application is in condition for allowance. If any minor concerns remain, the Examiner is requested to telephone the undersigned to resolve these matters quickly. Please charge $130 to deposit account no. 50-1984. If any additional fees are due, please charge all fees to deposit account no. 50-1984.

Respectfully submitted,

John E. Carlson
Registration No. 37,794
400 W. Maple Suite 350
Birmingham, MI 48009
Telephone: (248) 988-8681
Facsimile: (248) 988-8363

Dated: 8/16/06

PAGE 9/10 * RCVD AT 8/16/2006 6:59:02 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-2/5 * DNIS:2738300 * CSID:12489888363 * DURATION (mm-ss):04-04